

SAFETY DATA SHEET

An Employee-Owned Company

Issue Date 11-Nov-2014

Revision Date 11-Dec-2015

Version 2

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name

SPEED ZONE® Southern Broadleaf Herbicide for Turf (2/2.5 Gal.)

Other means of identification

Product Code

PBI FP 6561126

EPA Pesticide Registration Number 2217-835

Recommended use of the chemical and restrictions on use

Recommended Use

Herbicide.

Uses advised against

PBI Gordon Corporation

1217 West 12th Street Kansas City, MO 64101 No information available.

Details of the supplier of the safety data sheet

Supplier

Manufacturer

PBI Gordon Corporation

1217 West 12th Street

Kansas City, MO 64101

PBI Gordon Corporation 1217 West 12th Street

Company Name

Kansas City, MO 64101

Emergency telephone number

Emergency Telephone

Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4
Acute toxicity - Dermal	Category 4
Acute toxicity - Inhalation (Gases)	Category 3
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Serious eye damage/eye irritation	Category 2A
Aspiration toxicity	Category 1
Flammable liquids	Category 4

Label elements

Emergency Overview

Danger

Hazard statements

Harmful if swallowed. Harmful in contact with skin. Toxic if inhaled, Causes serious eye irritation. May be fatal if swallowed and enters airways.

Combustible liquid.



Appearance Liquid

Physical state Liquid

Odor Esters

Precautionary Statements - Prevention

- · Wash face, hands and any exposed skin thoroughly after handling
- · Do not eat, drink or smoke when using this product
- Wear protective gloves/protective clothing/eye protection/face protection
- Avoid breathing dust/fume/gas/mist/vapors/spray
- · Use only outdoors or in a well-ventilated area
- · Contaminated work clothing should not be allowed out of the workplace
- · Keep away from heat/sparks/open flames/hot surfaces. No smoking
- Keep cool

Precautionary Statements - Response

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- · If eye irritation persists: Get medical advice/attention
- · IF ON SKIN: Wash with plenty of soap and water
- · Call a POISON CENTER or doctor/physician if you feel unwell
- · Wash contaminated clothing before reuse
- · If skin irritation or rash occurs: Get medical advice/attention
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- · Call a POISON CENTER or doctor/physician
- · Rinse mouth
- IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
- Do NOT induce vomiting
- · In case of fire: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage

- Store locked up
- · Store in a well-ventifated place. Keep container tightly closed

Precautionary Statements - Disposal

· Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Have the product label with you when calling a poison control center or doctor or going in for treatment. You may also contact 1-877-800-5556 for emergency medical treatment advice.

Other Information

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%
Trade Secret	Proprietary	30-40*
2,4-D, 2-ethylhexyl ester	1928-43-4	10.49
R(+)2(2 Methyl-4-chlorophenoxy)propionic acid (MCPP)	16484-77-8	2.66
3,6-Dichloro-e-anisic acid (Dicamba)	1918-00-9	0.67

carfentrazone-ethyl (ISO) ethyl	128639-02-1	0.54
(RS)-2-chloro-3-[2-chloro-4-fluoro-5-[4-difluorometh]		
yl-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl[p]		
henyl]propionate		

^{*} The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

First aid measures

General advice If symptoms persist, call a physician. Do not breathe dust/fume/gas/mist/vapors/spray. Do

not get in eyes, on skin, or on clothing.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms

persist, call a physician.

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Consult a physician if necessary. If skin irritation persists, call a

physician.

Inhalation Remove to fresh air. If breathing is irregular or stopped, administer artificial respiration.

Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Move to fresh air in case of accidental inhalation of vapors or decomposition products. If symptoms

persist, call a physician.

Ingestion Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a

physician immediately.

Self-protection of the first aider Use personal protective equipment as required.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use. Dry chemical. Carbon dioxide (CO2). Water spray (fog). Alcohol resistant foam.

Specific hazards arising from the chemical

In the event of fire and/or explosion do not breathe fumes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. Keep product and empty container away from heat and sources of ignition. Risk of ignition.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

PBI FP 6561126 SPEED ZONE® Southern Broadleaf

Herbicide for Turf (2/2.5 Gal.)

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Personal precautions

Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Pay attention to flashback. Take precautionary measures against

static discharges.

Environmental precautions

Prevent entry into waterways, sewers, basements or confined areas. Do not flush into **Environmental precautions**

surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Cover liquid spill with sand, earth or other non-combustible absorbent material. Cover Methods for cleaning up

powder spill with plastic sheet or tarp to minimize spreading. Pick up and transfer to properly labeled containers. Soak up with inert absorbent material. Dam up. Take

precautionary measures against static discharges.

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with skin, eyes or clothing. Wash contaminated clothing before reuse. Do not Advice on safe handling

eat, drink or smoke when using this product. Use personal protective equipment as required. Do not breathe dust/fume/gas/mist/vapors/spray. Use with local exhaust ventilation. All equipment used when handling the product must be grounded. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Take necessary action to avoid

static electricity discharge (which might cause ignition of organic vapors).

Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of Storage Conditions

children. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep away from heat. Keep in properly labeled

containers.

Incompatible materials None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

[Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
ſ	2,4-D, 2-ethylhexyl ester	TWA: 10 mg/m³ inhalable fraction	TWA: 10 mg/m ³	IDLH: 100 mg/m³, TWA: 10
	1928-43-4	S*		mg/m³

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

Appropriate engineering controls

Engineering Controls Local and General Ventilation.

Individual protection measures, such as personal protective equipment

Tight sealing safety goggles. Face protection shield. Eve/face protection

Esters

Pensky-Martens Closed Cup (PMCC)

PBI FP 6561126 SPEED ZONE® Southern Broadleaf

Herbicide for Turf (2/2.5 Gal.)

Wear protective gloves and protective clothing. Skin and body protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved Respiratory protection

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

Odor

provided in accordance with current local regulations.

General Hygiene Considerations When using do not eat, drink or smoke. Wash contaminated clothing before reuse. Regular

cleaning of equipment, work area and clothing is recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Liquid Physical state Appearance Liquid

Color Amber Odor threshold No information available

Property Values Remarks • Method

Hq Not Applicable

Melting point/freezing point <35 °F

> 93 °C / 200 °F Boiling point / boiling range 93 °C / 199 °F Flash point

Evaporation rate

Flammability (solid, gas) No information available Flammability Limit in Air

No information available Upper flammability limit: No information available Lower flammability limit: Vapor pressure No information available No information available Vapor density

Specific Gravity 0.8994 Emulsifier Water solubility

Solubility in other solvents No information available Partition coefficient No information available Autoignition temperature No information available Decomposition temperature No information available Oxidizing properties No information available

Other Information

7.45 pounds/gallon Density

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous polymerization

Will not occur.

Conditions to avoid

Heat, flames and sparks.

PBI FP 6561126 SPEED ZONE® Southern Broadleaf Herbicide for Turf (2/2.5 Gal.)

Incompatible materials

None known.

Hazardous Decomposition Products

May emit toxic fumes under fire conditions. Hydrogen chloride, Nitrogen oxides (NOx), Carbon monoxide,

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation

Irritant, moderate respiratory.

Eye contact

May cause slight irritation.

Skin Contact

Moderate skin irritation.

Ingestion

Ingestion of large amounts can cause abdominal discomfort, nausea, and vomiting.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Trade Secret	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.2 mg/L (Rat) 4 h
2,4-D, 2-ethylhexyl ester 1928-43-4	= 300 mg/kg (Rat)	- 1	•
R(+)2(2 Methyl-4-chlorophenoxy)propionic acid (MCPP) 16484-77-8	= 1050 mg/kg(Rat)	> 4 g/kg (Rat)	
3,6-Dichloro-o-anisic acid (Dicamba) 1918-00-9	= 1039 mg/kg (Rat)	> 2 g/kg (Rabbit) > 1 g/kg (Rat)	-

Information on toxicological effects

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization

Germ cell mutagenicity

Carcinogenicity

Not a skin sensitizer. No information available.

The International Agency for Research on Cancer (IARC) lists chlorophenoxy herbicides in its Group 2B (limited evidence for Carcinogenicity in humans.) The US EPA has given the chlorophenoxy Herbicides 2,4-D, 2,4-DP, MCPP, and MCPA a Class D classification (not classifiable as to human carcinogenicity.) More current 2,4-D lifetime feeding studies in rats and mice did not show carcinogenic effects and a recent World Health Organization (WHO) review of 2,4-D toxicology has concluded that 2,4-D is not a carcinogen. The table below

indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
2,4-D, 2-ethylhexyl ester 1928-43-4		Group 2B		Х
R(+)2(2 Methył-4-chlorophenoxy)pro pionic acid (MCPP) 16484-77-8		Group 2B		х

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity STOT - single exposure

No information available. No information available.

PBI FP 6561126 SPEED ZONE® Southern Broadleaf Herbicide for Turf (2/2.5 Gal.)

STOT - repeated exposure

No information available.

Chronic toxicity

Repeated contact may cause allergic reactions in very susceptible persons. Avoid repeated

exposure.

Aspiration hazard

No information available.

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity

45% of the mixture consists of ingredient(s) of unknown toxicity

Oral LD50

> 2000 mg/kg Rat-male Rat-female

Dermal LD50

> 2000 mg/kg (rabbit)

Inhalation LC50

> 2.04 mg/L Rat-male Rat-female

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (inhalation-gas) 1033 mg/L

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic life with long lasting effects

48% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Trade Secret		2.2: 96 h Lepomis macrochirus mg/L LC50 static 2.4: 96 h Oncorhynchus mykiss mg/L LC50 static 45: 96 h Pimephales promelas mg/L LC50 flow-through		4720: 96 h Den-dronereides heteropoda mg/L LC50
2,4-D, 2-ethylhexyl ester 1928-43-4	30: 120 h Pseudokirchneriella subcapitata mg/L EC50 30: 120 h Pseudokirchneriella subcapitata mg/L EC50 static	6 - 8.7: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 11.5: 96 h Lepomis macrochirus mg/L LC50 static 7.8: 96 h Oncorhynchus mykiss mg/L LC50 static		

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container, unless specified by the manufacturer.

US EPA Waste Number U240

14. TRANSPORT INFORMATION

Herbicide for Turf (2/2.5 Gal.)

DOT

For package sizes less than 192.9 gallons; product is non-regulated. Proper shipping name

For package sizes 192.9 gallons or greater: UN3082, Environmentally Hazardous

Substances, Liquid, N.O.S., 9, PGIII, RQ (2,4-D)

Description The following guidelines apply for domestic ground transport. If shipping by air or ocean,

please contact our Transportation Dept.

PESTICIDES, NOI, INCLUDING DEFOLIANTS, FUNGICIDES, HERBICIDES, OR

INSECTICIDES NMFC 155050-6

If shipped in bulk conatiners (greater than 119 gallons), this product is a Marine Pollutant.

When shipped as a Hazardous Material, label required is Class 9 (Miscellaneous).

Placards required on bulk shipments only.

15. REGULATORY INFORMATION

U.S. EPA Label Information

EPA Pesticide Registration Number 2217-835

Federal Insecticide, Fungicide, Rodenticide Act Regulations

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

EPA Pesticide Label

Caution. Keep out of the reach of children. Harmful if absorbed through the skin. Avoid contact with skin, eyes, or clothing. Harmful if swallowed.

International Inventories

Not Listed **TSCA** DSL/NDSL Not Listed Not Listed **EINECS/ELINCS** Not Listed **ENCS IECSC** Not Listed **KECL** Not Listed **PICCS** Not Listed **AICS** Not Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

Chemical Name	T\$CA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Trade Secret	X	Х		Х			X	X	X	X .
2,4-D, 2-ethylhexyl ester				Х						
R(+)2(2 Methyl-4-chlorophenoxy)pro pionic acid (MCPP)				X						
3,6-Dichloro-o-anisic acid (Dicamba)				Х		Х		X	X	X

PBI FP 6561126 SPEED ZONE® Southern Broadleaf Herbicide for Turf (2/2.5 Gal.)

carfentrazone-ethyl (ISO)				Х		[
ethyl						f
(RS)-2-chloro-3-[2-chloro-4-fl						
uoro-5-[4-difluoromethyl-4,5-						
dihydro-3-methyl-5-oxo-1H-1						
.2.4-triazol-1-yl[phenyl]propi						
onate	 					

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

	Chemical Name	SARA 313 - Threshold Values %
	2.4-D, 2-ethylhexyl ester - 1928-43-4	0.1
į	3,6-Dichloro-o-anisic acid (Dicamba) -	1.0
	1918-00-9	

SARA 311/312 Hazard Categories

Acute health hazard Yes
Chronic Health Hazard No
Fire hazard Yes
Sudden release of pressure hazard No
Reactive Hazard No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
2,4-D, 2-ethylhexyl ester 1928-43-4	100 lb			
3,6-Dichloro-o-anisic acid (Dicamba) 1918-00-9	1000 lb			Х

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
2,4-D, 2-ethylhexyl ester	100 lb		RQ 100 lb final RQ
1928-43-4]		RQ 45.4 kg final RQ
3,6-Dichloro-o-anisic acid	1000 lb		RQ 1000 lb final RQ
(Dicamba)			RQ 454 kg final RQ
1918-00-9			

US State Regulations

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
2,4-D, 2-ethylhexyl ester	X		
1928-43-4		<u></u>	L
3,6-Dichloro-o-anisic acid	X	X	×
(Dicamba)			
1918-00-9		1	•

International Regulations

Mexico - Grade

Moderate risk, Grade 2

16. OTHER INFORMATION

NFPA Health hazards 2

Flammability 2

Instability 0

Physical and Chemical

Properties -

HMIS

Health hazards 2

Flammability 2

Physical hazards 0

Personal protection X

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of PBI Gordon Corporation's knowledge, information and belief at the date of this publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process, unless specified in the text. PBI GORDON CORPORATION MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. Given the variety of factors that can affect the use and application of this product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the product to determine whether it is fit for a particular purpose and suitable for user's method of use or application. Each user is also responsible for evaluating the conditions of use and designing the appropriate protective mechanisms to prevent employee exposures, property damage, or release to the environment. PBI Gordon Corporation assumes no responsibility for injury to the recipient or third persons, or for any damage to any property resulting from misuse of the product.

End of Safety Data Sheet